

Angle grinders

SMA series

WATT: 450

Also available with a dust extraction system

Data sheet
SMA115



Description

OBER grinders incorporate more than 50 years of experience and expertise in the design and manufacture of pneumatic tools. They are renowned for their strength and ideal power-to-weight ratio. The OBER grinder range includes straight grinders, vertical grinders, angle grinders and belt sanders. There is a type and model for practically any application. We have a complete range of accessories for cleaning, deburring, engraving, finishing and polishing on any type of material. Vertical and angle grinder models can be fitted with discs (Ø 22 coupling with hollow centre) and wire cup brushes. Grinders are fitted with disc guards, a safe-start lever designed to prevent accidental starting and an exhaust air silencer with angle adjustment and extractor connection. The models SM30, SM31, SV330, SV331, SV440 and SV441 incorporate a speed control/energy saver device which keeps the grinding wheel speed constant and reduces consumption during idling.

These models are highly versatile and therefore suitable for a wide range of industrial applications. Our grinders can be fitted with dust extraction systems where requested.

Technical specification

Angle grinders

SMA series

WATT: 450

Also available with a dust extraction system

Model	SMA115
Code	8101013
No-load speed - rpm/min	12000
Disc - ø mm	115
Work surface height - mm	82
Length - mm	233
Body - ø mm	45
Weight - kg	1,5
Air connection	3/8" GAS
Hose - ø min mm	10
Air consumption - NI/min	840
Wheel coupling thread	M14x2

Data sheet
SMA115

Overall dimensions

Angle grinders

SMA series

WATT: 450

Also available with a dust extraction system

Data sheet

SMA115

