

SLOW MOTORS

LFF SERIES - Reversible

WATT: 160 / CONSUMPTION: 400 NI/1'

Data measured at pressure of 6 bar - Minimum supply hose diameter: 6 mm

Data sheet
LFF200R



1. Cylindrical keyed shaft
2. Grip zone
3. Air inlets
4. Air exhaust


Technical specification

- Model	LFF200R
- Code	8731221
Speed rpm - No-load	200
Speed rpm - at Max Power	160
Torque Nm - at Max Power	9
Torque Nm - Stall Torque	16

Form features

The normal delivery condition of the models listed in the table is that with cylindrical shaft and cylindrical body as shown in the photo.

Characteristic curves



SLOW MOTORS

LFF SERIES - Reversible

WATT: 160 / CONSUMPTION: 400 NI/1'


Data measured at pressure of 6 bar - Minimum supply hose diameter: 6 mm

Data sheet
LFF200R

Permissible radial and axial loads

Model	Code	Fr (N)	Fa (N)	Co (N)
LFF200R	8731221	1000	1850	3750

Overall dimensions



Model	Code	A	B	C	D	E	F	G	H	I	J	K	L	U	V	W	X	Y	Z
LFF200R	8731221	185,7	26,5	40	38	76,2	36	13	3	5	/	/	M5	9,5	11	42	34	1/4"	3/8"