


# MOTORS WITH POWER UP TO 850 W

MVR SERIES - Reversible

WATT: 470 / CONSUMPTION: 600 NI/1"

Data sheet

MV4R



1. Cylindrical keyed shaft
2. Grip zone
3. Air inlets
4. Air exhaust

## Technical specification

- Model	MV4R
- Code	8731276
Speed rpm - No-load	150
Speed rpm - at Max Power	90
Torque Nm - at Max Power	57,0
Torque Nm - Stall Torque	80,0

## Form features

The normal delivery condition: cylindrical shaft and body as shown in the photo.

Optional:

Shaft

- threaded - indication /AF (left rotation excluded - subject to checks for reversible)



- conical - indication /AC

- with collets - indication / AP

Body

- with diamond flange coupling

## Characteristic curves



## MOTORS WITH POWER UP TO 850 W

MVR SERIES - Reversible


WATT: 470 / CONSUMPTION: 600 NI/1"

Data sheet  
**MV4R**

### Permissible radial and axial loads

Model	Code	Fr (N)	Fa (N)	Co (N)
MV4R	8731276	1000	1850	3750

### Overall dimensions



Model	Code	A	B	C	D	D1	E	F	G	H	I	L	Y	Z	&
MV4R	8731276	148,2	25,5	48,1	73	48,1	51	36	13	3	5	M5	G1/4"	G1/4"	43